


## Copper Ring Terminals - Brazed


Copper Ring Terminals – Brazed are widely used for secure termination of copper conductors in power distribution, switchgear, transformers, and control panels. Their brazed seam construction ensures excellent mechanical strength, conductivity, and reliability in bolted connections.



SIZE mm <sup>2</sup>	ØE	A	C	D	F	B	K	H	L-1	J	AEW CODE
1.5	2.2	1.6	3.2	6	0.8	5	2	4	11	14	SCRB - 7103
1.5	2.6	1.6	3.2	6	0.8	5	2	4	11	14	SCRB - 7000
1.5	3.2	1.6	3.2	6	0.8	5	2	4	11	14	SCRB - 7001
1.5	3.7	1.6	3.2	6	0.8	5	2	4	11	14	SCRB - 7002
1.5	4.2	1.6	3.2	6	0.8	5	2	4	11	14	SCRB - 7003
1.5	3.2	1.6	3.2	6.8	0.8	5	1	3.6	9.6	13	SCRB - 7153
1.5	3.7	1.6	3.2	6.8	0.8	5	1	3.6	9.6	13	SCRB - 7048
1.5	4.2	1.6	3.2	6.8	0.8	5	1	3.6	9.6	13	SCRB - 7049
1.5	3.2	1.6	3.2	8	0.8	5	2	5	12	16	SCRB - 7104
1.5	4.2	1.6	3.2	8	0.8	5	2	5	12	16	SCRB - 7004
1.5	5.2	1.6	3.2	8	0.8	5	2	5	12	16	SCRB - 7005
1.5	4.2	1.6	3.2	7	0.8	5	1	5	11	14.5	SCRB - 7154
1.5	4.2	1.6	3.2	10	0.8	5	2	6	13	18	SCRB - 7105
1.5	5.2	1.6	3.2	10	0.8	5	2	6	13	18	SCRB - 7006
1.5	6.4	1.6	3.2	10	0.8	5	2	6	13	18	SCRB - 7007
1.5	6.4	1.6	3.2	12	0.8	5	1	6	12	18	SCRB - 7106
2.5	3.2	2.3	3.9	6.5	0.8	5	1	3.5	9.5	12.7	SCRB - 7107
2.5	3.7	2.3	3.9	6.5	0.8	5	1	3.5	9.5	12.7	SCRB - 7008
2.5	3.7	2.3	3.9	8	0.8	5	2	5	12	16	SCRB - 7108
2.5	4.2	2.3	3.9	8	0.8	5	2	5	12	16	SCRB - 7009
2.5	5.2	2.3	3.9	8	0.8	5	2	5	12	16	SCRB - 7010
2.5	5.2	2.3	3.9	10	0.8	5	1	6	13	18	SCRB - 7109
2.5	6.4	2.3	3.9	10	0.8	5	1	6	13	18	SCRB - 7011
2.5	5.2	2.3	3.9	12	0.8	5	2	6	16	22	SCRB - 7110
2.5	6.4	2.3	3.9	12	0.8	5	2	6	16	22	SCRB - 7012
2.5	8.2	2.3	3.9	12	0.8	5	2	3.5	16	22	SCRB - 7013
2.5	6.4	2.3	3.9	16	0.8	5	2	3.5	17	25	SCRB - 7111
2.5	8.2	2.3	3.9	16	0.8	5	2	5	17	25	SCRB - 7014
2.5	10.2	2.3	3.9	16	0.8	5	2	5	17	25	SCRB - 7015
2.5	10.2	2.3	3.9	18	0.8	5	1	5	20	29	SCRB - 7151
2.5	12.7	2.3	3.9	18	0.8	5	1	7	20	29	SCRB - 7047
4.6	4.2	3.5	5.5	8	1	5	2	7	13	17	SCRB - 7155
4.6	5.2	3.5	5.5	8	1	5	2	9	13	17	SCRB - 7050
4.6	4.2	3.5	5.5	10	1	6	3	9	14	19	SCRB - 7112
4.6	5.2	3.5	5.5	10	1	6	3	9	14	19	SCRB - 7016
4.6	5.2	3.5	5.5	8	1	6	3	10	18.8	22.8	SCRB - 7157
4.6	5.2	3.5	5.5	12	1	6	2	10	14	20	SCRB - 7113
4.6	6.4	3.5	5.5	12	1	6	2	10	14	20	SCRB - 7017
4.6	8.2	3.5	5.5	12	1	6	2	14	14	20	SCRB - 7018
4.6	5.2	3.5	5.5	12	1	6	3	14	16	22	SCRB - 7114
4.6	6.4	3.5	5.5	12	1	6	3	5	16	22	SCRB - 7019

## Copper Ring Terminals - Brazed Continued.....


Copper Ring Terminals - Brazed are widely used for secure termination of copper conductors in power distribution, switchgear, transformers, and control panels. Their brazed seam construction ensures excellent mechanical strength, conductivity, and reliability in bolted connections.



SIZE mm <sup>2</sup>	ØE	A	C	D	F	B	K	H	L-1	J	AEW CODE
4.6	6.4	3.5	5.5	14	1	6	2	5	18.5	25.5	SCRB - 7115
4.6	8.2	3.5	5.5	14	1	6	2	5	18.5	25.5	SCRB - 7020
4.6	9.7	3.5	5.5	14	1	6	2	5	18.5	25.5	SCRB - 7021
4.6	8.2	3.5	5.5	16	1	6	3	9.8	22	30	SCRB - 7116
4.6	10.2	3.5	5.5	16	1	6	3	6	22	30	SCRB - 7022
4.6	8.2	3.5	5.5	18	1	6	3	6	21	30	SCRB - 7117
4.6	10.2	3.5	5.5	18	1	6	3	6	21	30	SCRB - 7023
4.6	12.7	3.5	5.5	18	1	6	3	12	21	30	SCRB - 7024
10	4.2	4.3	6.3	10	1	8	2	7	17	22	SCRB - 7118
10	5.2	4.3	6.3	10	1	8	2	7	17	22	SCRB - 7025
10	4.2	4.3	6.3	10	1	8	3	4	15	20	SCRB - 7119
10	5.2	4.3	6.3	10	1	8	3	4	15	20	SCRB - 7026
10	6.4	4.3	6.3	12	1	8	2	7	17	23	SCRB - 7120
10	8.2	4.3	6.3	16	1	8	4	7	19	27	SCRB - 7121
10	8.2	4.3	6.3	18	1	8	4	9	21	30	SCRB - 7122
10	10.2	4.3	6.3	18	1	8	4	9	21	30	SCRB - 7027
10	10.2	4.3	6.3	22	1	8	5	10	23	34	SCRB - 7123
10	12.7	4.3	6.3	22	1	8	5	10	23	34	SCRB - 7028
16	5.2	5.6	8	10	1.2	10	3	6	19	24	SCRB - 7124
16	5.2	5.6	8	12	1.2	10	4	6	20	26	SCRB - 7125
16	6.4	5.6	8	12	1.2	10	4	6	20	26	SCRB - 7029
16	6.4	5.6	8	16	1.2	10	4	8	22	30	SCRB - 7126
16	8.2	5.6	8	16	1.2	10	4	8	22	30	SCRB - 7030
16	9.7	5.6	8	16	1.2	10	4	8	22	30	SCRB - 7031
16	8.2	5.6	8	18	1.2	10	4	10	24	33	SCRB - 7127
16	10.2	5.6	8	18	1.2	10	4	10	24	33	SCRB - 7032
16	10.2	5.6	8	22	1.2	10	6	8	24	35	SCRB - 7128
16	12.7	5.6	8	22	1.2	10	6	8	24	35	SCRB - 7033
25	6.4	7.5	11.1	12	1.8	11	4	10	25	31	SCRB - 7156
25	8.2	7.5	11.1	12	1.8	11	4	10	25	31	SCRB - 7051
25	6.4	7.5	11.1	16	1.8	11	5	6	22	30	SCRB - 7129
25	8.2	7.5	11.1	16	1.8	11	5	6	22	30	SCRB - 7034
25	10.2	7.5	11.1	16	1.8	11	5	6	22	30	SCRB - 7035
25	10.2	6.4	11.1	16	1.8	11	4	10	25	33	SCRB - 7130
25	10.2	7.5	11.1	16	1.8	11	4	10	25	33	SCRB - 7036
25	6.4	7.5	11.1	18	1.8	11	5	9	25	34	SCRB - 7131
25	10.2	7.5	11.1	22	1.8	11	6	14	31	42	SCRB - 7132
25	8.2	7.5	11.1	22	1.8	11	6	14	31	42	SCRB - 7037
35	10.2	9	12.6	16	1.8	12	5	6	23	31	SCRB - 7133
35	10.2	9	12.6	16	1.8	12	5	6	23	31	SCRB - 7038
35	12.7	9	12.6	18	1.8	12	5	10	27	36	SCRB - 7134

## Copper Ring Terminals - Brazed Continued....

Copper Ring Terminals - Brazed are widely used for secure termination of copper conductors in power distribution, switchgear, transformers, and control panels. Their brazed seam construction ensures excellent mechanical strength, conductivity, and reliability in bolted connections.



SIZE mm <sup>2</sup>	ØE	A	C	D	F	B	K	H	L-1	ØE	AEW CODE
35	8.2	9	12.6	18	1.8	12	5	10	27	36	SCRB - 7039
35	10.2	9	12.6	22	1.8	12	4	15	31	42	SCRB - 7135
35	12.7	9	12.6	22	1.8	12	4	15	31	42	SCRB - 7040
50	8.2	10.5	14.1	18	1.8	16	6	12	34	43	SCRB - 7136
50	10.2	10.5	14.1	18	1.8	16	6	12	34	43	SCRB - 7041
50	10.2	10.5	14.1	22	1.8	16	7	9	32	43	SCRB - 7137
50	10.2	10.5	14.1	24	1.8	16	6	14	36	48	SCRB - 7138
50	12.7	10.5	14.1	24	1.8	16	6	14	36	48	SCRB - 7042
50	16.2	10.5	14.1	32	1.8	16	7	15	38	54	SCRB - 7139
70	10.2	12	16	22	2	18	7	11	36	47	SCRB - 7140
70	12.7	12	16	22	2	18	7	11	36	47	SCRB - 7043
70	12.7	12	16	24	2	18	8	10	36	48	SCRB - 7141
70	16.2	12	16	28	2	18	6	16	40	54	SCRB - 7142
95	10.2	13.5	18.1	22	2.3	20	5	10	35	46	SCRB - 7143
95	10.2	13.5	18.1	24	2.3	20	6	12	38	50	SCRB - 7144
95	12.7	13.5	18.1	24	2.3	20	6	12	38	50	SCRB - 7044
95	16.2	13.5	18.1	28	2.3	20	7	17	44	58	SCRB - 7145
120	12.7	15	20.2	26	2.6	22	10	7	39	52	SCRB - 7146
120	16.2	15	20.2	32	2.6	22	7	19	48	64	SCRB - 7147
120	20.3	15	20.2	40	2.6	22	10	20	52	72	SCRB - 7148
150	12.7	16.5	23.7	34	3.6	24	9	16	49	66	SCRB - 7149
150	16.2	16.5	23.7	34	3.6	24	9	16	49	66	SCRB - 7145
150	16.2	16.5	23.7	40	3.6	24	10	20	54	74	SCRB - 7150
150	20.3	16.5	23.7	40	3.6	24	10	20	54	74	SCRB - 7046